

Work Order ID

Wednesday, July 13, 2016

Item ID: D3215-0

Revision ID:

Item Name: Harness A

Start Date: 7/13/2016

Required Date: 8/3/2016

Reference:

Approvals: Process

QC:

Sequence ID/
Work Center ID

130

130

Packaging

Packaging

140

140

QC

Quality Control

Work Order ID 148988

Wednesday, July 13, 2016 2:40:34 PM

Item ID: D3215-041

Revision ID:

Item Name: Harness Assembly

Start Date: 7/13/2016 Start Qty: 10.00

Required Date: 8/3/2016 Req'd Qty: 10.00

Reference:

Approvals: Process Plan: *dem*

Date: *16/07/13*

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3215	Rev D

100

100

Purchasing

Purchasing

PURCHASING

Memo

Issue P/O: *33219* to Tulmar Safety Systems
D3215-041 as per Dwg D3215
Ship to Tulmar
Certificate of Conformity is required

0.00

299.99

10 *AUG 03 2016* *DAS 13 9-89*

110

110

Packaging

Packaging

Receive & Inspect for Damage & Mat'l Certs

0.00

Memo

Ensure certificate of conformity is attached

0.02

10 *DAS 6 9-89* *AUG 22 2016*

120

120

QC

Quality Control

QC6- Inspect dimensions to drawing

0.00

Memo

0.00

10 *DAS 38 9-89* *AUG 23 2016*

148988

Page 1

Accept

N900040100

Setup Start

NS1

Stop

NS2

Cust Item ID:

Customer:

Run Start

NR1

Stop

NR2

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____ Work Order update only ☐

Work Order: _____		DISPOSITION		AGAINST DEPARTMENT/PROCESS					
Part No. _____		Rework ☐		Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐		
NCR No. _____		Scrap ☐		Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐		
		Use-as-is ☐		Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐		
		Suspected Unapproved ☐		Large Fab ☐	Composite ☐	Supplier ☐			
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER : _____							

Jet ☐	Engineering ☐
or. ☐	Quality ☐
ing ☐	Other ☐
ier ☐	
MRB (QSI042) Approval	
Completed By	
Lead hand / Supervisor Approval Verification	
QC / QA Coordinator Approval	
Positioned Wrong ☐	
Outside Dimensions ☐	
Over/Under tolerance ☐	
Part Incorrect ☐	
Part Lost/Missing ☐	
Part Moved ☐	
Drawing ☐	
Finish ☐	
Misread ☐	
Turning Sequence ☐	

Picklist Print

Wednesday, July 13, 2016 2:40:34 PM

Page 1

Work Order ID: 148988

148988

Parent Item: D3215-041

D3215-041

Parent Item Name: Harness Assembly

Start Date: 7/13/2016

Required Date: 8/3/2016

Start Qty: 10.00

Required Qty: 10.00

Comments: IPP A03.10.28New IssueKJ/RF
IPP B 07.06.12 ecn 940 EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3215-3		Manufactured	No			100	Each	14.0000	1	10			DAS 13 9-89
D3215-3									**			AUG 03 2016	

Webbing Tidy

<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>
ST026	14	
141402	2	
145552	12	

D3216-1		Manufactured	No			100	Each	4.0000	1	10			DAS 13 9-89
D3216-1									**			AUG 03 2016	

Fitting

<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>
ST026	4	
144547	4	

D3215-041P		Purchased	No			110	Each	0.0000	1	10			DAS 6 9-89
D3215-041P									**			AUG 22 2016	

Harness Assembly

8X B 14 8989

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE


QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : _____									

DART


DESIGN <i>GP</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>CE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3215	REV. D SHEET 1 OF 3
DATE 07.03.27		TITLE BELT ASSEMBLY	SCALE NTS
A	03.09.19	NEW ISSUE	
B	04.01.12	AS MANUFACTURED; ADD TOLERANCE	
C	04.03.05	REDUCE LENGTH; CLARIFY STITCHING	
D	07.03.27	ADD WEBBING SUPPLIER; ADD LABEL THREAD AND MATERIAL; IN VIEW A-A, 1.4 WAS 1.8; ADD -3A AND -3B; UPDATE TOLERANCES	



ASSEMBLY DETAIL
NOT TO SCALE

PARTS LIST:

QTY	P/N	DESCRIPTION
X	D3215-041	BELT ASSEMBLY
AS REQ'D	SEE NOTE 1	WEBBING
AS REQ'D	SEE NOTE 1	WEBBING THREAD
AS REQ'D	SEE NOTE 1	LABEL THREAD
1	D3215-1	LABEL
1	D3215-3	WEBBING TIDY
1	D3216-1	WEBBING ADJUSTER



D3215-041 BELT ASSEMBLY:


- MATERIAL: WEBBING = LAGRAN CANADA INC. 26472, 1.8 WIDE x 0.05 THICK BLACK POLYESTER WEBBING, CERTIFIED TO FAR 29.853A3, TENSILE STRENGTH 5700 lb MIN
OR BELT TECH CANADA INC. 27039, 1.8 WIDE x 0.05 THICK BLACK POLYESTER WEBBING, CERTIFIED TO FAR 29.853A3, TENSILE STRENGTH 6000 lb MIN
WEBBING THREAD = V-T-295 TYPE II CLASS A SIZE 3, BLACK NYLON THREAD
LABEL THREAD = V-T-295 TYPE II CLASS A SIZE F, BLACK NYLON THREAD
- ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED.
- TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- SEE SHEET 3 FOR VIEW A-A

Copyright © 2003 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>GP</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>CE</i>	APPROVED <i>H</i>	DRAWING NO. D3215	REV. D SHEET 2 OF 3
DATE 07.03.27		TITLE BELT ASSEMBLY	SCALE NTS

**D3215-043 BELT ASSEMBLY:**

- 1) MATERIAL:
WEBBING = LAGRAN CANADA INC. 26472, 1.8 WIDE x 0.05 THICK BLACK POLYESTER WEBBING, CERTIFIED TO FAR 29.853A3, TENSILE STRENGTH 5700 lb MIN
OR
BELT TECH CANADA INC. 27039, 1.8 WIDE x 0.05 THICK BLACK POLYESTER WEBBING, CERTIFIED TO FAR 29.853A3, TENSILE STRENGTH 6000 lb MIN
WEBBING THREAD = V-T-295 TYPE II CLASS A SIZE 3, BLACK NYLON THREAD
LABEL THREAD = V-T-295 TYPE II CLASS A SIZE F, BLACK NYLON THREAD
- 2) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED.
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- 4) SEE SHEET 3 FOR VIEW A-A

RELEASED07.06.07 *H***ASSEMBLY DETAIL**
NOT TO SCALE**PARTS LIST:**




QTY	P/N	DESCRIPTION
X	D3215-043	BELT ASSEMBLY
AS REQ'D	SEE NOTE 1	WEBBING
AS REQ'D	SEE NOTE 1	WEBBING THREAD
AS REQ'D	SEE NOTE 1	LABEL THREAD
1	D3215-1	LABEL
2	D3215-3	WEBBING TIDY
2	D3216-1	WEBBING ADJUSTER

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART


DESIGN <i>GP</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>CE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3215	REV. D SHEET 3 OF 3
DATE 07.03.27	TITLE HARNESS ASSEMBLY		SCALE 3:2

**VIEW A-A****D3215-3A/-3B NOTES:**

- 1) MATERIAL: 5052-H32 ALUMINUM SHEET, 0.040 THICK PER QQ-A-250/8 OR AMS 4016 (REF DART SPEC. M5052H32S.040)
- 2) BEND D3215-3A PER D3215-3

D3215-1 LABEL:

- 1) MATERIAL: WHITE TYVEK OR WHITE POLYESTER WHICH MEETS FMVSS 302
- 2) USE 1/8 BLACK LETTERING
- 3) CENTER ON BELT WIDTH

RELEASED07.06 07 *[Signature]***D3215-3 WEBBING TIDY****GENERAL NOTES:**

- 1) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

D3215-3 NOTES:

- 1) WELD PER DART QSI 004
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT BLACK SANDEX (4.3.5.7) PER DART QSI 005 4.3

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Belt-Tech Products Inc.

Certificate of Compliance No : 56 412

Page : 1 de 1
Date : 2010-10-22
Time : 13:31:04

Pattern : 27039 Width : 47.000 Dye lot No : 432674
Color : CG008 BLACK Meters : 6 728.00 Warp Order :
Customer : TULMAR SAFETY SYSTEMS Test Date : 2010/10/22
Nissan Legend : Y = Good - Pass
N = Fail
Customer Part Number 18440-00

Test Method	Date	Type of Test	Min. Spec.	Max. Spec.	Median	Test 1	Test 2	Test 3
FMVSS 209	2009/10/01	Width - no load (mm)	46.000	48.000	47.930	47.840	47.970	47.930 Y
SAE J 882	2007/09/01	Thickness - original (mm)	1.140	1.400	1.175	1.185	1.175	1.175 Y
ASTM D-3775	2008/07/01	Picks per cm	7.000		7.200	7.200	7.200	7.200 Y
FMVSS 209	2009/10/01	Elongation - @ 11.1 kn load (%)		20.000	6.310	6.310	6.120	6.640 Y
FMVSS 209	2009/10/01	Tensile - original (lbs)	6,700.000		7,167.000	7,167.000	7,086.000	7,182.000 Y
FMVSS 209	2009/10/01	Tensile - hex-bar % of original	75.000		91.700	91.500	91.900	91.700 Y
AATCC TM 8	2007/01/01	Crocking "wet"	3.000		4.000	4.000	4.000	4.000 Y
AATCC TM 8	2007/01/01	Crocking "dry"	3.000		4.500	4.500	4.500	4.500 Y
AATCC TM 107	2009/01/01	Dye stability (staining)	3.000		4.500	4.500	4.500	4.500 Y

Specification(s) : FMVSS 209 revised on 2008-10-01 FMVSS 302 revised on 2008-10-01
Comment(s)

This is to certify that this product conforms to the specification(s) mentioned above and the requirement(s) outlined in the Purchase Order # and was tested at $22 \pm 3^{\circ}\text{C}$ temperature and 45-55 % relative humidity.

Not applicable for downgraded (second) material

If this document is not signed, it is to be regarded as a non-controlled version

Tested by :

Approved by :

4.10-1403E (2010-03-31)

C/C's used to m/bg. D3215-041 Rev.D.

Janine La Liberté (ac).

Aug. 16/10

BS 2281/12 (S)



cansew inc.

formerly / anciennement
Canadian Sewing Supply Ltd. / Ltée – established / établie 1924

Manufacturers of sewing threads. / Wholesalers of elastics, Velcro, tapes, trimmings.
Fabricants de fils à coudre. / Grossistes d'élastiques, Velcro, galons, garnitures.

20 October 2008

Tulmar Safety Systems
1123 Cameron Street
Hawksbury, Ontario
K6A 2B8

Att. Sandra Nadeau

CERTIFICATE OF COMPLIANCE

This is to certify that the items mentioned below, shipped to Tulmar Safety Systems by CANSEW INC. on 20 October 2008, have been produced in accordance with the requirements of Purchase Order no. 14929-00 of the same date:

-Bonded Nylon CBB92 – 35.18 lb, colour OG-107, lot # 748348, meeting the requirements of specification V-T-295, Type 2, Class A, Size F

*-Bonded Nylon CB207 – 19.96 lb, colour black, lot # 656160, meeting the requirements of specification V-T-295, Type 2, Class A, Size 3, 3 ply

Yours truly,


Hershie Schachter
CANSEW INC.

MONTREAL - Head Office/Siège social
111 Chabanel W / O H2N 1C9
Administration (514) 382-2807
Commandes/Orders (514) 382-2801
1-800-361-7722
FAX: (514) 385-5530

TORONTO
28 Apex Rd. M6A 2V2
(416) 782-1122
1-800-387-8584
FAX: (416) 782-8358

WINNIPEG
1674 Church Ave R2X 2W9
(204) 942-4264
1-800-665-0701
FAX: (204) 947-9280

CALGARY
3932 - 29th St. N.E. T1Y 6B6
(403) 291-4494
1-800-667-4197
FAX: (403) 291-5139

VANCOUVER
1615 Venables St. V5L 2H1
(604) 682-4341
1-800-580-0737
FAX: (604) 682-4196

info@cansew.ca

www.cansew.ca

TSS # 2525/42. (S)



May 11, 2016

TULMAR SAFETY SYSTEMS
1123 CAMERON STREET
HAWKSBURY, ONTARIO
K6A 2B8

CERTIFICATE OF COMPLIANCE

This is to certify that the item mentioned below, shipped to Tulmar Safety Systems by Cansew Inc. on May 10, 2016, has been produced in accordance with the requirements of Purchase Order no. 30118-00 of the same date:

- **NB CBB92 LB;** Cansew Nylon – Qty 22.50 lbs, Colour: Black
LOT #: F78828

Description

Thread, Nylon, Twisted, Black, A-A-59826, TY2, CLA, Size F, CBB92, (Supercedes V-T-295)

Hazardous Materials Acknowledgement	The items described below may contain, and their processing may have include, the following substances:	Hexavalent Chromium: Cadmium: Beryllium; Nickel; Mercury; Lead; Asbesotos; Radioactive elements YES NO ●
Country of Origin of Goods: USA		
Limited Shelf-Life	<u>Definition:</u> If material is consumed or transformed into final product before end of shlf-life there is no effect on final product.	These items have limited Shelf-Life YES NO ●
Expiry date	<u>Definition:</u> Date after which performance will no longer be as intended – expiration is transferred to the final product.	These items have expiry date YES NO ●

Yours truly,

Richard Doré
Sales Manager

MONTREAL	TORONTO	WINNIPEG	CALGARY	VANCOUVER
111 Chabanel W. H2N 1C9	28 Apex Rd. M6A 2V2	1674 Church Ave. R2X 2W9	3932-29th St. N.E. T1Y 6B6	1217 East Georgia St. V6A 2A9
Tel: (514) 382-2801	(416)782-1122	(204)942-4264	(403)291-4494	(604)682-4341
1-800-361-7722	1-800-387-8584	1-800-665-0701	1-800-667-4197	1-800-580-0737
Fax: (514) 385-5530	(416)782-8358	(204)947-9280	(403)291-5139	(604)682-4196
E-mail: info@cansew.ca	info@cansew.ca	info@cansew.ca	info@cansew.ca	info@cansew.ca
www.cansew.ca				

TSS 2530 B/55

TULMAR

Certificate of Conformance

Tulmar P/N 22019-001	Description Kit whole 1 3/25" Tulmar Black Thermal Ink, inserts F11053 302, 2360mmT & H3111	Dwg # —	Revision —	Qty 1 Kit
Tulmar PO # 26439	Line Item # —	Supplier Name / Address Avery Dennison 15178 Collections Center Drive Chicago, IL 60693	Supplier Packing Slip # AVY 8636435	


Supplier Declarations:

Hazardous Materials Acknowledgement	The items described below may contain, and their processing may have included, the following substances:	Hexavalent Chromium; Cadmium; Beryllium; Nickel; Mercury; Lead; Asbestos; Radioactive elements YES ☐ NO ☒
Country of Origin of Goods :	Japan	if YES, please complete the HazMat Acknowledgement form @ www.tulmar.com
Limited Shelf-Life	Definition: If material is consumed or transformed into final product before end of shelf-life there is no effect on final product.	These items have a limited Shelf-Life YES ☒ NO ☐ If YES, please complete the Time Expired - Shelf-Life questionnaire @ www.tulmar.com
Expiry date	Definition: Date after which performance will no longer be as intended - expiration is transferred to the final product.	These items have an expiry date YES ☐ NO ☒

Additional Information (MRS#, MRA#, limitations, etc...):

Shelf life is two years from date of manufacture.

I hereby certify that the goods listed hereon have been inspected and/or tested, as applicable, and conform to all specifications and requirements detailed in the contract or purchase order and relevant quality clauses. Objective evidence to support this statement is on file and can be made available upon request. Should further information be required, please contact:

Signature 	Name Bethany Covey	Date (DD-MMM-YYYY) 22-NOV-2013
Title QC Manager	Email bethany.covey@averydennison.com	Phone # 528-758-2338 x436

Form Revision 13 Aug 2012

22019-001/08

PACKING SLIP

TULMAR

Tulmar Safety Systems Inc.
1123 Cameron Street
Hawkesbury, ON K6A 2B8
Tel: 613-632-1282
Fax: 613-632-2030
GST R132478223
MID : XOTULSAF1123HAW
email: info@tulmar.com

Packing Slip No Page

58061 1

Ship Date

8/19/2016

Bill To:

Dart Aerospace

1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Canada

Ship To:

Dart Aerospace

1270 Aberdeen Street
Tel: 613-632-9577
Hawkesbury, ON K6A 1K7
Canada

Order number	Sales order date	Account number	Loc	Account manager
34064	8/4/2016	CDART100	H	Francine Bigras

PO number	Ship via	Shipping Terms
PO33219	Pick-Up	FOB HAWKESBURY

Item No. Description	Quantity ordered	UOM	Qty Shipped/Returned	Quantity on back order
-------------------------	------------------	-----	----------------------	------------------------

LN 3 = QC Clauses:

A004 A005 A016 A026 A040 A041

A043 (TSS=5 YRS ONLY)

8421-102

3.00

EA

3.00

D-Pad Assembly, Long

Drawing No: B67-43001-85 + MU

DWG Rev: D+1

LN 2

RevD+MU - missing on Dart Dwg

"Transfer Diam 0.19 Hole from Weldment

to Fabric 2PL"

Lot no.: BATCH0000000011

3.00

8937

10.00

EA

10.00

Belt Ass'y, / 2" wide, Black Webbing

Drawing No: D3215 (P/N D3215-041)

DWG Rev: D

LN 1

Lot no.: BATCH0000000039

10.00

22/8/16
SP

Certificate of Conformance

☒ See Certification Enclosed

I hereby certify that the items listed hereon have been inspected, and / or tested (as applicable), conform to all specifications and requirements detailed in the contract or purchase order. Objective evidence to support this statement is on file, and can be made available upon request.
If any questions or concerns, please contact QA Manager @ 613-632-1282 ext. 245.

Authorized Inspector

Lorraine LaLiberto

Date:

AUG 19 2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO33219

Purchase Order Date 8/3/2016

PO Print Date 8/3/2016

Page Number 1 of 2

Order From :

TULMAR SAFETY SYSTEMS
1123 CAMERON ST
HAWKESBURY, ON K6A 2B8
CA

VC-TUL001

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED
AUG 04 2016

Contact Name

Vendor Phone 613 632 1282

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Ship To Contact

Ship To Phone

Terms

Net 30

Ship Via:

VENDOR'S TRUCK

Currency

CAD

Ship Acct:

FOB

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	D3215-041P AS PER DWG D3215 REV. D B148988	Harness Assembly	8/22/2016 Yes 8/22/2016		10.00 Each	\$20.44	\$204.40
Line Total:							\$204.40
2	148043 FOAM AND FABRIC TULMAR P/N: 8421-102 INCLUDED MARK UPS AT REV.D + MU MISSING ON DART DWG. "TRANSFER DIAM 0.19 HOLE FROM WELDMENT TO FABRIC 2PL"	PB67-43001-85 D-PAD	8/22/2016 Yes 8/22/2016		3.00 22/8/16 SD	\$55.00	\$165.00
Line Total:							\$165.00

Note:

8/3/2016



MFG. by: *Tulmar Safety Systems Inc.*
Hawkesbury, Ontario CANADA

S/O 34064

TSS 8937

Dart # D3215-041

QTY: 10